

- * *Pelecinus brunneipes* Patton, 1894: 896, ♀. Synonymized by Brues (1928).
- Pelecinus dichrous*: Patton, 1894: 896. Description.
- Pelecinus bruneipes*: Dalla Torre, 1902: 1086. Emendation.
- Pelecinus polyturator*: Dalla Torre, 1902: 1086. Synonymy.
- Pelecinus polyturator* var. *annulatus*: Dalla Torre, 1902: 1087. Change to varietal status.
- Pelecinus polyturator* var. *duponchelii*: Dalla Torre, 1902: 1087. Change to varietal status.
- Pelecinus polyturator* var. *guérini*: Dalla Torre, 1902: 1087. Change to varietal status.
- Pelecinus polyturator* var. *rufus*: Dalla Torre, 1902: 1087. Change to varietal status.
- Pelecinus polyturator* var. *spinolae*: Dalla Torre, 1902: 1087. Change to varietal status.
- Pelecinus polyturator* var. *thoracicus*: Dalla Torre, 1902: 1088. Change to varietal status.
- Pelecinus polyturator*: Schulz, 1904: 439. Taxonomic status.
- * *Pelecinus polyturator* var. *apicalis* Roman, 1910: 196, ♀. NHRS
- Pelecinus polyturator*: Brues, 1916b: 576. Description.
- * *Pelecinus polyturator* v. *peruvianus* Brèthes, 1920: 49, ♀. MACN
- Pelecinus polyturator*: Brues, 1928: 205. Diagnosis.
- Pelecinus polyturator brunneipes*: Brues, 1928: 208. Diagnosis.
- Pelecinus polyturator*: Mason, 1984: 419. Abdominal structure.
- Pelecinus tibiator*: Diller, 1990: 65. Type information.
- Pelecinus dichrous*: Diller, 1990: 66. Type information.

PERADENIIDAE

Peradeniidae Naumann & Masner, 1985: 763, 769. Description, systematic position, keyed.

Peradenia Naumann & Masner

Peradenia Naumann & Masner, 1985: 769. Type: *Peradenia clavipes* Naumann & Masner, by original designation. Key to species.

clavipes Naumann & Masner AU

* *Peradenia clavipes* Naumann & Masner, 1985: 769, 770, ♂, ♀. ANIC Keyed.

micranepsia Naumann & Masner AU

* *Peradenia micranepsia* Naumann & Masner, 1985: 769, 773, ♀. ANIC Keyed.

PROCTOTRUPIDAE

Proctotrupes Haliday, 1833: 273. Description.

Proctotrupii: Nees ab Esenbeck, 1834: 317, 346. Description.

Proctotrupidae: Haliday, 1839b: ii. Keyed.

Proctotrupides: Westwood, 1840a: 173. Description.

Proctotrupides: Westwood, 1840b: 76. Synopsis of genera of Britain.

Proctotrupiens: Brullé, 1846: 610, 614. Diagnosis, list of genera.

Proctotrupoidae: Förster, 1856: 20, 27, 99. Diagnosis, keyed.

Codrinidae Dahlbom, 1858: 289. Diagnosis.

Proctotrupini: Thomson, 1858: 411. Description.

Proctotrupides: Desmarest, 1860: 167. Description, list of genera.

Proctotrypidae: Marshall, 1873: 1. Catalog of species of Britain.

Proctotrupoidae: Walker, 1873: 502. Keyed.

Proctotrupiens: Provancher, 1881: 259. Description.

Proctotrupiens: Provancher, 1883: 558. Description.

Proctotrupinae: Howard, 1886: 170, 172. List of genera, keyed.

Proctotrupinae: Cresson, 1887: 81, 83, 248. Keyed, key to genera, catalog of species of U.S. and Canada.

Proctotrypinae: Ashmead, 1893: 27, 331. Description, keyed, key to genera of U.S. and Canada.

- Proctotrupinae: Dalla Torre, 1898b: 461. Catalog of species.
 Proctotrypidae: Ashmead, 1900c: 198. Keyed.
 Proctotrypinae: Harrington, 1900: 193. Catalog of species of Canada.
 Proctotrypidae: Ashmead, 1902a: 242, 243. Diagnosis, keyed, key to genera.
 Proctotrypinae, Serphinae: Kieffer, 1907f: 269. Description, key to genera of Europe and Algeria.
 Serphidae: Kieffer, 1909c: 1. Description, key to genera.
 Serphidae: Kieffer, 1914e: 1. Description, key to subfamilies, key to genera.
 Proctotrypidae: Dodd, 1915: 384. Key to genera of Australia.
 Serphidae: Brues, 1916b: 531, 573. Key to genera of Connecticut, keyed.
 Proctotrypinae: Morley, 1922: 1. Diagnosis, key to genera of Britain.
 Proctotrypinae: Morley, 1923: 142. Keyed.
 Proctotrypinae: Morley, 1929: 40. Catalog of species of Britain.
 Serphidae: Fouts, 1936: 3. Checklist of species of Oceania.
 Proctotrupinae: Nixon, 1938d: 433. Key to genera of Britain.
 Proctotrupidae: Hellén, 1941: 29, 31. Key to genera of east Scandinavia, keyed.
 Serphidae: Mani, 1941a: 2, 50. Catalog of species of India, keyed.
 Proctotrupidae: Watanabe, 1949: 23. Key to genera of Japan.
 Proctotrupinae: Risbec, 1950: 512, 515. Description, keyed.
 Serphidae: Bernard, 1951: 964. Description.
 Proctotrupidae: Muesebeck & Walkley, 1951: 663. Catalog of species of U.S. and Canada.
 Proctotrupidae: Riek, 1955a: 107. Key to genera of Australia.
 Proctotrupidae: Masner, 1958c: 480. Key to genera.
 Proctotrupidae: Pschorn-Walcher, 1958a: 57. Division into *Cryptoserphus* and *Phaenoserphus* groups of genera.
 Proctotrupidae: Pschorn-Walcher, 1958b: 724. Description of *Thomsonina* group of genera.
 Proctotrupidae: Muesebeck, 1958: 89. Supplement to Muesebeck & Walkley (1951).
 Proctotrupidae: Masner, 1961c: 42. Key to genera.
 Proctotrupidae: Pschorn-Walcher, 1964: 1. Species of Japan.
 Proctotrupidae: Baltazar, 1966: 161. Catalog of species of the Philippines.
 Proctotrupidae: Rasnitsyn, 1966: 604. Keyed.
 Proctotrupidae: Muesebeck & Masner, in Krombein & Burks, 1967: 286. Second supplement to Muesebeck & Walkley (1951).
 Proctotrupidae: De Santis, 1967: 216. Catalog of species of Argentina.
 Proctotrypidae: Roth, 1968: 94. Keyed.
 Proctotrupidae: Oehlke, 1969: 785. Keyed, description.
 Proctotrupidae: Riek, 1970: 904, 905. Description, keyed.
 Proctotrupidae: Kozlov, 1970: 203. Subdivision into subfamilies, tribes.
 Proctotrupidae: Kozlov, 1971: 4, 7. Key to genera of the Palearctic, keyed.
 Proctotrupidae: Pschorn-Walcher, 1971: 20, 24. Key to genera of Switzerland, keyed.
 Proctotrupidae: Kozlov, in Rasnitsyn, 1975a: 82. Keyed.
 Proctotrupidae: Richards & Davies, 1977: 1226. Diagnosis.
 Proctotrupidae: Fergusson, 1978: 111. Checklist of species of Britain.
 Proctotrupidae: Königsman, 1978: 41. Description, phylogenetic relationships.
 Proctotrupidae: Kozlov, 1978: 543. Key to genera of the European USSR.
 Proctotrupidae: Muesebeck, 1979b: 1123. Catalog of species of U.S. and Canada.
 Proctotrupidae: Fabritius, 1980b: 262. Description, species of Romania.
 Proctotrupidae: Rasnitsyn, 1980: 87. Relationships, phylogeny.
 Serphidae: Townes & Townes, 1981: 1. Revision: structure, description, key to subfamilies.
 Proctotrupidae: Kozlov, 1981a: 7. Phylogenetic history, relationships.
 Proctotrupidae: Mani & Sharma, 1982: 136, 137, 246. Description, key to genera of India, keyed.
 Proctotrupidae: Naumann & Masner, 1985: 769. Keyed.
 Proctotrupidae: Prinsloo, 1985: 407. Description, keyed.

Proctotrupidae: Sarazin, 1986: 967. Primary type material in Canadian National Collection of Insects.

Serphidae: Teodorescu, 1986: 5. Systematic potential of male genitalia.

Serphidae: Wall, 1986: 223. Key to species and genera of Europe.

Proctotrupidae: Gauld & Bolton, 1988: 182, 183. Description, keyed.

Serphidae: Lin, 1988: 16. Checklist of genera of Taiwan.

Proctotrupidae: Rasnitsyn, 1988: 127, 137. List of apomorphies, classification.

Austroserphinae

Austroserphini Kozlov, 1970: 205. Description.

Austroserphidae: Riek, 1970: 905. Description, change to family status, keyed.

Acanthoserphinae Townes & Townes, 1981: 9, 14. Description, key to genera, keyed.

***Acanthoserphus* Dodd**

Acanthoserphus Dodd, 1915: 384. Type: *Acanthoserphus albicoxa* Dodd, by monotypy and original designation. Keyed.

Acanthoserphus: Riek, 1955a: 107, 109. Description, keyed.

Acanthoserphus: Muesebeck & Walkley, 1956: 323. Citation of type species.

Acanthoserphus: Masner, 1958c: 480. Keyed.

Acanthoserphus: Masner, 1961c: 42. Keyed.

Acanthoserphus: Riek, 1970: 905. Diagnosis.

Acanthoserphus: Townes & Townes, 1981: 14, 15. Description, key to species, keyed.

***albicoxa* Dodd AU**

* *Acanthoserphus albicoxa* Dodd, 1915: 385, σ , ν . SAMA

Acanthoserphus albicoxa: Riek, 1955a: 109. Description.

Acanthoserphus albicoxa: Townes & Townes, 1981: 15, 16. Description, keyed.

***bidens* Masner AU**

* *Acanthoserphus bidens* Masner, in Townes & Townes, 1981: 15., ν . CNCI Keyed.

Acanthoserphus bidens: Sarazin, 1986: 968. Type information.

***Austrocodrus* Ogloblin**

Austrocodrus Ogloblin, 1960b: 119. Type: *Austroserphus (Austrocodrus) patagonicus* Ogloblin, by monotypy and original designation. Proposed as a subgenus of *Austroserphus* Dodd.

Austrocodrus: Townes & Townes, 1981: 14, 17. Description, change to generic status, keyed.

***patagonicus* (Ogloblin) NO**

* *Austroserphus (Austrocodrus) patagonicus* Ogloblin, 1960b: 120, σ . MLPA

Austrocodrus patagonicus: Townes & Townes, 1981: 17. Description, generic transfer.

***Austroserphus* Dodd**

Austroserphus Dodd, 1933b: 275. Type: *Austroserphus albofasciatus* Dodd, by monotypy and original designation.

Austroserphus: Riek, 1955a: 107, 108. Description, keyed.

Austroserphus: Muesebeck & Walkley, 1956: 334. Citation of type species.

Austroserphus: Masner, 1958c: 480. Keyed.

Austroserphus: Ogloblin, 1960b: 118. Description, division into subgenera.

Austroserphus: Masner, 1961c: 42. Keyed.

Austroserphus: De Santis, 1967: 216. Catalog of species of Argentina.

Austroserphus: Kozlov, 1968b: 239. Diagnosis.

Austroserphus: Riek, 1970: 905. Diagnosis.

Austroserphus: Townes & Townes, 1981: 14, 18. Description, keyed.

***albofasciatus* Dodd AU**

- * *Austroserphus albofasciatus* Dodd, 1933b: 276, ♂, ♀. MVMA
- Austroserphus albofasciatus*: Riek, 1955a: 108. Description.
- Austroserphus albofasciatus*: Townes & Townes, 1981: 18. Description.

Proctotrupinae

Proctotrupinae: Kozlov, 1970: 204. Description, division into tribes.

Proctotrupinae: Fergusson, 1978: 111. Checklist of species of Britain.

Serphinae: Townes & Townes, 1981: 8, 19, 20, 29, 132. Description, keys to tribes and genera, keyed.

Serphinae: Wall, 1986: 223. Keyed, division into tribes.

***Afroserphus* Masner**

Afroserphus Masner, 1961c: 37, 43. Type: *Afroserphus bicornis* Masner, by monotypy and original designation. Keyed.

Afroserphus: Townes & Townes, 1981: 30, 60. Description, keyed.

***bicornis* Masner AF**

- * *Afroserphus bicornis* Masner, 1961c: 39, ♂. MRAC
- Afroserphus bicornis*: Townes & Townes, 1981: 61. Repetition of Masner (1961c).

***Apoglypha* Townes**

Apoglypha Townes, in Townes & Townes, 1981: 31, 129. Type: *Apoglypha radiata* Townes, by original designation. Key to species, keyed.

***janthinae* (Dodd) AU**

- * *Proctotrupes janthinae* Dodd, 1915: 387, ♀. MVMA
- Proctotrupes janthinae*: Dodd, 1920a: 364. Emendation of description.
- Proctotrupes janthinae*: Riek, 1955a: 111. Description.
- Apoglypha janthinae*: Townes & Townes, 1981: 130, 131. Description, generic transfer, keyed.

***nitens* (Dodd) AU**

- * *Proctotrupes nitens* Dodd, 1920a: 364, ♂, ♀. BMNH
- Proctotrupes nitens*: Riek, 1955a: 112. Description.
- Cryptoserphus nitens*: Masner, 1965a: 7. Generic transfer, type information.
- Apoglypha nitens*: Townes & Townes, 1981: 130. Description, generic transfer, keyed.

***radiata* Townes AU**

- * *Apoglypha radiata* Townes, in Townes & Townes, 1981: 130, 131, ♀. AEIC Keyed.

***Brachyserphus* Hellén**

Brachyserphus Hellén, 1941: 32, 42. Type: *Codrus parvulus* Nees ab Esenbeck, by original designation. Key to species of east Scandinavia, keyed.

Brachyserphus: Muesebeck & Walkley, 1956: 337. Citation of type species.

Brachyserphus: Masner, 1958c: 480. Keyed.

Brachyserphus: Pschorn-Walcher, 1958a: 59. Diagnosis, list of Palearctic species.

Brachyserphus: Masner, 1961c: 44. Keyed.

Brachyserphus: Kozlov, 1971: 8. Keyed.

Brachyserphus: Pschorn-Walcher, 1971: 25, 31. Diagnosis, keyed.

Brachyserphus: Fergusson, 1978: 112. Checklist of species of Britain.

Brachyserphus: Kozlov, 1978: 546. Description, key to species of the European USSR.

Brachyserphus: Fabritius, 1980b: 263. Description, species of Romania.

Brachyserphus: Townes & Townes, 1981: 32, 116. Description, key to species, keyed.

Brachyserphus: Wall, 1986: 224. Keyed.

***abruptus* (Say) NA, NO**

* *Proctotrupes abruptus* Say, 1836: 278, ♀.

Proctotrupes abruptus: Say, in LeConte, 1859b: 725. Reprint of Say (1836).

Proctotrupes abruptus: Provancher, 1881: 263. Description, keyed.

Proctotrupes abruptus: Provancher, 1883: 561, 562. Description, keyed.

Proctotrypes abruptus: Ashmead, 1893: 334, 339. Description, keyed.

* *Proctotrypes Belfragei* Ashmead, 1893: 335, 340, ♀. USNM Keyed. Synonymized by Townes, in Townes & Townes (1981).

Phaenoserphus abruptus: Kieffer, 1909c: 5. Generic transfer.

Phaenoserphus Belfragei: Kieffer, 1909c: 5. Generic transfer.

Phaenoserphus abruptus: Kieffer, 1914e: 24, 32. Description, keyed.

Phaenoserphus belfragei: Kieffer, 1914e: 24, 32. Description, keyed.

Serphus abruptus: Brues, 1916b: 574, 575. Description, generic transfer, keyed.

Cryptoserphus abruptus: Brues, 1919: 7. Generic transfer; diagnosis.

Cryptoserphus belfragei: Brues, 1919: 6. Generic transfer.

Cryptoserphus abruptus: Muesebeck & Walkley, 1951: 665. Generic transfer.

Cryptoserphus belfragei: Muesebeck & Walkley, 1951: 665. Generic transfer.

Cryptoserphus belfragei: Masner & Muesebeck, 1968: 5. Type information.

Brachyserphus abruptus: Townes & Townes, 1981: 118, 122. Description, generic transfer, synonymy, keyed.

***barberi* Townes NA**

* *Brachyserphus barberi* Townes, in Townes & Townes, 1981: 117, 120, ♂, ♀. USNM Keyed.

***curticornis* Townes NO**

* *Brachyserphus curticornis* Townes, in Townes & Townes, 1981: 117, 122, ♀. AEIC Keyed.

***hawaiiensis* (Ashmead) AU**

* *Proctotrupes hawaiiensis* Ashmead, 1901c: 294, ♀. BMNH

Phaenoserphus hawaiiensis: Kieffer, 1909c: 6. Generic transfer.

Serphus (?) hawaiiensis: Kieffer, 1914e: 8, 16. Generic transfer, description, keyed.

Cryptoserphus hawaiiensis: Masner, 1965a: 7. Generic transfer, type information.

Brachyserphus hawaiiensis: Townes & Townes, 1981: 117, 121. Description, generic transfer, keyed.

***laeviceps* (Thomson) PA**

* *Proctotrupes laeviceps* Thomson, 1858: 416, ♂, ♀. NHRS

Proctotrypes leviceps: Dalla Torre, 1898b: 465. Emendation.

Serphus (Cryptoserphus) Leviceps: Kieffer, 1908e: 314. Description, generic transfer, subgeneric assignment.

Cryptoserphus leviceps: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus laeviceps: Kieffer, 1914e: 36, 37. Description, keyed.

Brachyserphus laeviceps: Pschorn-Walcher, 1971: 28. Diagnosis.

Brachyserphus laeviceps: Kozlov, 1978: 546. Description.

Brachyserphus laeviceps: Townes & Townes, 1981: 118, 127. Description, lectotype designation, keyed.

***leptura* Townes NA, NO**

* *Brachyserphus leptura* Townes, in Townes & Townes, 1981: 117, 119, ♂, ♀. AEIC Keyed.

***lucens* (Provancher) NA**

* *Megaspilus lucens* Provancher, 1883: 34, ♀. ULQC

Megaspilus lucens: Provancher, 1883: 808. Redescribed as new.

Megaspilus luceus: Ashmead, 1887b: 98. Spelling error.

Megaspilus lucens: Masner, 1969a: 779. Type information.

Brachyserphus lucens: Townes & Townes, 1981: 117, 118. Description, generic transfer, keyed.

***obliquus* Townes NA**

* *Brachyserphus obliquus* Townes, in Townes & Townes, 1981: 117, 121, ♂, ♀. CNCI Keyed.

Brachyserphus obliquus: Sarazin, 1986: 970. Type information.

***parvulus* (Nees ab Esenbeck) NA, PA**

* *Codrus parvulus* Nees ab Esenbeck, 1834: 360, ♂, ♀.

Proctotrupes parvulus: Haliday, 1839a: 14. Generic transfer, description.

Serphus (*Cryptoserphus*) *Parvulus*: Kieffer, 1908e: 315. Description, generic transfer, subgeneric assignment.

Cryptoserphus parvulus: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus parvulus: Kieffer, 1914e: 36, 37. Description, keyed.

Proctotrupes parvulus: Morley, 1922: 59. Keyed.

Cryptoserphus parvulus: Nixon, 1938d: 461, 464. Description, keyed.

Brachyserphus parvulus: Hellén, 1941: 42. Generic transfer, keyed.

Brachyserphus parvulus: Pschorn-Walcher, 1971: 31. Diagnosis.

Brachyserphus parvulus: Kozlov, 1978: 546. Description.

Brachyserphus parvulus: Fabritius, 1980b: 264. Description.

Brachyserphus parvulus: Townes & Townes, 1981: 118, 125. Description, keyed.

Brachyserphus parvulus: Wall, 1991: 41. Variation.

***rugatus* Townes NA**

* *Brachyserphus rugatus* Townes, in Townes & Townes, 1981: 117, 120, ♀. AEIC Keyed.

***teres* Townes NO**

* *Brachyserphus teres* Townes, in Townes & Townes, 1981: 118, 125, ♂, ♀. AEIC Keyed.

***Codrus* Panzer**

Codrus Panzer, 1801. Type species: *Codrus niger* Panzer, designated by Morice & Durrant (1915).

Codrus: Jurine, 1807: 308. Description, list of species.

Bethylus (*Codrus*): Latreille, 1817a: 476. Description.

Codrus: Nees ab Esenbeck, 1834: 317, 351. Description, keyed.

Codrus: Labram & Imhoff, 1838: plate 104. Description, figure.

Codrus: Herrich-Schäffer, 1840: 57, 105. Diagnosis, catalog of species of Europe.

Codrus: Zetterstedt, 1840: 416. Description.

Codrus: Kirchner, 1856: 228. Description.

Codrus: Thomson, 1858: 421. Description.

Codrus: Marshall, 1873: 2. Catalog of species of Britain.

Codrus: Vollenhoven, 1876: 28, plate 18. Diagnosis.

Codrus: Ashmead, 1893: 332, 344. Description, keyed.

Codrus: Dalla Torre, 1898b: 461. Catalog of species.

Codrus: Ashmead, 1902a: 244. Keyed.

Codrus: Muesebeck & Walkley, 1951: 665. Catalog of species of U.S. and Canada.

Codrus: Riek, 1955a: 107. Diagnosis.

Codrus: Muesebeck & Walkley, 1956: 342. Citation of type species.

Codrus: Masner, 1958c: 480. Keyed.

Codrus: Pschorn-Walcher, 1958a: 61. Diagnosis, list of Palearctic species.

Codrus: Masner, 1961c: 43. Keyed.

Codrus (*Codrus*): Masner, 1961c: 43. Keyed.

Codrus: Baltazar, 1966: 161. Catalog of species of Philippines.

- Codrus*: Muesebeck & Masner, in Krombein & Burks, 1967: 286. Second supplement to Muesebeck & Walkley (1951).
Codrus: Sundholm, 1970: 305. Diagnosis.
Codrus: Kozlov, 1971: 7, 11. Key to subgenera, keyed.
Codrus (Codrus): Kozlov, 1971: 11. Keyed.
Codrus: Pschorn-Walcher, 1971: 27, 45. Diagnosis, key to species of Palearctic, keyed.
Codrus: Fergusson, 1978: 111. Checklist of species of Britain.
Codrus: Muesebeck, 1979b: 1125. Catalog of species of U.S. and Canada.
Codrus: Kozlov, 1978: 547. Description, key to species of the European USSR.
Codrus: Fabritius, 1980b: 267. Description, species of Romania.
Codrus: Townes & Townes, 1981: 133, 134. Description, key to species, keyed.
Codrus: Mani & Sharma, 1982: 247. Keyed.
Codrus: Wall, 1986: 227. Key to species of Europe, keyed.

***ciliatus* Townes PA**

- * *Codrus ciliatus* Townes, in Townes & Townes, 1981: 139, σ , ν . AEIC

***nebriae* (Watanabe) PA**

- * *Phaenoserphus nebriae* Watanabe, 1954a: 8, σ . KUEC
Codrus nebriae: Townes & Townes, 1981: 135, 139. Description, generic transfer, keyed.

***niger* Panzer PA**

- * *Codrus niger* Panzer, 1805.
Proctotrupes nigra: Spinola, 1808: 168. Not seen: reference from Dalla Torre (1898b).
Proctotrupes niger: Latreille, 1809: 38. Emendation.
Oxyurus niger: Lamarck, 1817: 130. Description, generic transfer.
Proctotrupes nigra: Le Peletier & Serville, in Latreille *et al.*, 1825: 208. Description, emendation.
Oxyurus niger: Lamarck, 1835: 342. Description.
Proctotrupes niger: Haliday, 1839a: 7. Description.
Codrus niger: Zetterstedt, 1840: 416. Description.
Proctotropis nigra: Gistel, 1848: 143. Description.
Proctotrupes niger: Thomson, 1858: 418. Description.
Exallonyx niger: Kieffer, 1904c: 35. Generic transfer.
Exallonyx Niger: Kieffer, 1908c: 340. Description.
Phaenoserphus niger: Kieffer, 1909c: 6. Generic transfer; in the same publication Kieffer placed Haliday's concept of this species in the genus *Exallonyx* Kieffer.
Exallonyx niger: Kieffer, 1914e: 44, 50. Description, keyed.
Exallonyx niger: Morley, 1922: 160. Keyed.
Exallonyx niger: Maneval, 1937: 2. Diagnosis.
Exallonyx niger: Nixon, 1938d: 434, 435, 436. Description, keyed.
Exallonyx niger: Hellén, 1941: 36, 37. Diagnosis, keyed.
Exallonyx niger: Tomšík, 1944a: 54. Description.
Codrus (Codrus) niger: Pschorn-Walcher, 1971: 47, 51, 54. Diagnosis, keyed.
Codrus (Codrus) niger: Kozlov, 1978: 547, 548. Description, subgeneric assignment.
Codrus (Codrus) niger: Fabritius, 1980b: 268. Description.
Codrus niger: Townes & Townes, 1981: 135, 140. Description, keyed.
Codrus niger: Wall, 1986: 227. Keyed.

***philippinus* Townes OR**

- * *Codrus philippinus* Townes, in Townes & Townes, 1981: 135, 136, σ , ν . AEIC Keyed.

***picicornis* (Förster) PA**

- * *Disogmus picicornis* Förster, 1856: 100, σ . NHMW Keyed.
Disogmus picicornis: Walker, 1874b: 33. Keyed.
Disogmus Picicornis: Kieffer, 1907f: 285. Description.
Disogmus picicornis: Kieffer, 1914e: 17, 20. Description, keyed.

- * *Phaenoserphus subcompressus* Hedicke, 1927: 32, σ , ν . Type lost. Synonymized by Townes, in Townes & Townes (1981).
 - * *Phaenoserphus vexator* Nixon, 1938d: 453, 456, σ , ν . BMNH Keyed. Synonymized by Townes, in Townes & Townes (1981).
 - * *Phaenoserphus subclavatus* Hellén, 1941: 33, 34, σ . WHPC Keyed. Synonymized with *Phaenoserphus vexator* Nixon by Pschorn-Walcher (1958a).
Phaenoserphus subcompressus: Pschorn-Walcher, 1958a: 63. Type information.
Phaenoserphus vexator: Pschorn-Walcher, 1964: 6. Diagnosis.
Phaenoserphus vexator: Masner, 1965a: 8. Type information.
Phaenoserphus vexator: Stelfox, 1966b: 536. Taxonomic status.
Phaenoserphus (Phaenoserphus) vexator: Pschorn-Walcher, 1971: 41, 44. Diagnosis, subgeneric assignment, keyed.
Phaenoserphus (Phaenoserphus) vexator: Kozlov, 1978: 547. Description.
Codrus picicornis: Townes & Townes, 1981: 135, 137. Description, generic transfer, type information, keyed.
Codrus picicornis: Wall, 1986: 227. Keyed.
Codrus picicornis: Wall, 1991: 41. Description, variation.
- striatus Townes OR**
- * *Codrus striatus* Townes, in Townes & Townes, 1981: 135, 138, ν . CNCI Keyed.
Codrus striatus: Sarazin, 1986: 971. Type information.
- unistria Townes AU**
- * *Codrus unistria* Townes, in Townes & Townes, 1981: 135, 135, σ . AEIC Keyed.

Cryptoserphus Kieffer

- Cryptoserphus* Kieffer, 1907f: 288. Type species: *Serphus (Cryptoserphus) longicalcar* Kieffer, designated by Kieffer (1907f). Proposed as a subgenus of *Proctotrupes* Latreille.
- Cryptoserphus*: Kieffer, 1908e: 313. Key to species of Europe and Algeria.
- Cryptoserphus*: Kieffer, 1909c: 3, 6. Description, list of species, keyed.
- Cryptoserphus*: Kieffer, 1914e: 5, 36. Description, key to species, keyed.
- Cryptoserphus*: Dodd, 1915: 384. Keyed.
- Cryptoserphus*: Brues, 1919: 6. Taxonomic status.
- Cryptoserphus*: Morley, 1922: 2. Keyed.
- Cryptoserphus*: Nixon, 1938d: 433, 460. Keyed, key to species of Britain.
- Cryptoserphus*: Brues, 1940a: 259. Key to species in amber.
- Cryptoserphus*: Hellén, 1941: 32, 41. Key to species of east Scandinavia, keyed.
- Cryptoserphus*: Nixon, 1942: 195. Key to species of Britain.
- Cryptoserphus*: Tomšík, 1944a: 52. Diagnosis.
- Cryptoserphus*: Watanabe, 1949: 23. Keyed.
- Cryptoserphus*: Muesebeck & Walkley, 1951: 664. Catalog of species of U.S. and Canada.
- Cryptoserphus*: Riek, 1955a: 107. Keyed.
- Cryptoserphus*: Muesebeck & Walkley, 1956: 344. Citation of type species.
- Cryptoserphus*: Masner, 1958c: 480. Keyed.
- Cryptoserphus*: Pschorn-Walcher, 1958a: 59. Diagnosis, list of Palearctic species.
- Cryptoserphus*: Masner, 1961c: 44. Keyed.
- Cryptoserphus*: Muesebeck & Masner, in Krombein & Burks, 1967: 286. Second supplement to Muesebeck & Walkley (1951).
- Cryptoserphus*: Kozlov, 1971: 8. Keyed.
- Cryptoserphus*: Pschorn-Walcher, 1971: 25, 27. Diagnosis, key to species of Palearctic, keyed.
- Cryptoserphus*: Fergusson, 1978: 112. Checklist of species of Britain.
- Cryptoserphus*: Kozlov, 1978: 546. Description, key to species of the European USSR.
- Cryptoserphus*: Muesebeck, 1979b: 1126. Catalog of species of U.S. and Canada.
- Cryptoserphus*: Fabritius, 1980b: 264. Description, species of Romania.

Cryptoserphus: Townes & Townes, 1981: 31, 76. Description, division into species groups, key to species, keyed.

Cryptoserphus: Mani & Sharma, 1982: 247. Keyed.

Cryptoserphus: Wall, 1986: 224, 225. Key to species of Europe, keyed.

***aculeator* (Haliday) OR, PA**

* *Codrus ater* Nees ab Esenbeck, 1834: 359, σ , φ . Preoccupied by *Codrus ater* Gravenhorst (1807).

Proctotrupes ater: Haliday, 1839a: 8. Generic transfer, description.

* *Proctotrupes aculeator* Haliday, 1839a: 14, σ , φ . NMID Synonymized by Vollenhoven (1876).

Proctotrupes ater: Thomson, 1858: 420. Description.

Proctotrupes ater: Vollenhoven, 1876: 28, plate 19, figure 4, 5. Variation, figure.

Exallonyx ater: Kieffer, 1904c: 35. Generic transfer.

* *Serphus* (*Cryptoserphus*) *Perrisi* Kieffer, 1908e: 318, φ . Type missing (Townes & Townes 1981). Synonymized by Townes, in Townes & Townes (1981).

Serphus (*Cryptoserphus*) *Aculeator*: Kieffer, 1908e: 319. Description, generic transfer, subgeneric assignment.

Serphus (*Cryptoserphus*) *Ater*: Kieffer, 1908e: 325. Description, generic transfer, subgeneric assignment.

Cryptoserphus aculeator: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus ater: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus Perrisi: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus perrisi: Kieffer, 1914e: 37, 38. Description, keyed.

Cryptoserphus aculeator: Kieffer, 1914e: 37, 39. Description, keyed.

Cryptoserphus ater: Kieffer, 1914e: 41. Description.

Proctotrypes aculeator: Morley, 1922: 59. Keyed.

Exallonyx ater: Morley, 1922: 160. Keyed.

Exallonyx ater: Nixon, 1938d: 435, 439, 446. Description, keyed.

Cryptoserphus aculeator: Nixon, 1938d: 460, 461. Description, keyed.

Exallonyx ater: Hellén, 1941: 37, 38. Diagnosis, keyed.

Cryptoserphus aculeator: Hellén, 1941: 41. Variation, keyed.

Cryptoserphus aculeator: Nixon, 1942: 196. Keyed.

Exallonyx ater: Tomšik, 1944a: 55. Description.

Codrus ater: Stelfox, 1966b: 531. Emendation of Nixon (1938d).

* *Cryptoserphus deshii* Drake, 1970: 327, φ . KUEC Synonymized by Townes, in Townes & Townes (1981).

Cryptoserphus aculeator: Pschorn-Walcher, 1971: 28, 30. Diagnosis, keyed.

Codrus (*Codrus*) *ater*: Pschorn-Walcher, 1971: 49, 53, 55. Diagnosis, keyed.

Cryptoserphus aculeator: Kozlov, 1978: 546. Description.

Codrus (*Codrus*) *ater*: Kozlov, 1978: 547, 548. Description, subgeneric assignment.

Cryptoserphus aculeator: Fabritius, 1980b: 264. Description.

Cryptoserphus aculeator: Townes & Townes, 1981: 78, 91. Description, synonymy, lectotype designation, keyed.

Serphus (*Cryptoserphus*) *Perrisi*: Townes & Townes, 1981: 91. Type information.

Cryptoserphus aculeator: Wall, 1986: 225. Keyed.

***adustus* Townes AU**

* *Cryptoserphus adustus* Townes, in Townes & Townes, 1981: 78, 90, σ , φ . AEIC Keyed.

***dilatatus* Townes NA, PA**

* *Cryptoserphus dilatatus* Townes, in Townes & Townes, 1981: 78, 88, σ , φ . AEIC Keyed.

Cryptoserphus dilatatus: Wall, 1986: 226. Keyed.

***flavipes* (Provancher) NA, PA**

* *Proctotrupes pallipes* Provancher, 1881: 263. ULQC Keyed. Preoccupied by *Codrus pallipes* Jurine (1807). The name *pallipes* occurs in the key; on the next page

- Provancher uses the French name Proctotrupe pieds-jaunes and the Latin name *Proctotrupes flavipes* to head the description. An objective synonym of *Proctotrupes flavipes* Provancher.
- * *Proctotrupes flavipes* Provancher, 1881: 264, ♀.
 - Proctotrupes pallipes*: Provancher, 1883: 561. Repetition of Provancher (1881), keyed.
 - Proctotrupes flavipes*: Provancher, 1883: 562. Redescribed as new.
 - Proctotrupes flavipes*: Ashmead, 1893: 334, 338. Description, keyed.
 - Proctotrupes flavipes*: Harrington, 1900: 194. Type information.
 - * *Serphus (Cryptoserphus) Longicalcar* Kieffer, 1908e: 317, ♀. MNHN Synonymized by Townes, in Townes & Townes (1981).
 - * *Serphus (Cryptoserphus) Longitarsis* var. *ruficauda* Kieffer, 1908e: 320, ♀. MNHN Synonymized by Townes, in Townes & Townes (1981).
 - * *Serphus (Cryptoserphus) Brevimanus* Kieffer, 1908e: 323, ♂, ♀. HNHN Synonymized by Townes, in Townes & Townes (1981).
 - Phaenoserphus flavipes*: Kieffer, 1909c: 6. Generic transfer.
 - Cryptoserphus brevimanus*: Kieffer, 1909c: 7. Generic transfer.
 - Cryptoserphus longicalcar*: Kieffer, 1909c: 7. Generic transfer.
 - Cryptoserphus longitarsis* var. *ruficauda*: Kieffer, 1909c: 7. Generic transfer.
 - Phaenoserphus flavipes*: Kieffer, 1914e: 24, 33. Description, keyed.
 - Cryptoserphus longicalcar*: Kieffer, 1914e: 37, 38. Description, keyed.
 - Cryptoserphus ruficauda*: Kieffer, 1914e: 37, 39. Description, change to species status, keyed.
 - Cryptoserphus brevimanus*: Kieffer, 1914e: 37, 40. Description, keyed.
 - Serphus flavipes*: Brues, 1916b: 574, 575. Description, generic transfer, keyed.
 - Proctotrupes flavipes*: Gahan & Rohwer, 1918: 170. Lectotype designation.
 - Cryptoserphus flavipes*: Brues, 1919: 6. Generic transfer.
 - Proctotrupes brevimanus*: Morley, 1922: 59. Generic transfer, keyed.
 - * *Cryptoserphus cumaeus* Nixon, 1938d: 460, 462, ♀. BMNH Keyed. Synonymized by Townes, in Townes & Townes (1981).
 - * *Cryptoserphus cumaeus fungorum* Szélenyi, 1940: 234, ♂, ♀. DEIC Synonymized by Townes, in Townes & Townes (1981).
 - Cryptoserphus brevimanus*: Hellén, 1941: 41. Variation, keyed.
 - Cryptoserphus cumaeus*: Nixon, 1942: 196. Keyed.
 - Cryptoserphus longicalcar*: Tomšik, 1944a: 52. Diagnosis, division into subspecies.
 - Cryptoserphus longicalcar longicalcar*: Tomšik, 1944a: 52. Diagnosis.
 - Cryptoserphus flavipes*: Muesebeck & Walkley, 1951: 665. Generic transfer.
 - Serphus (Cryptoserphus) longicalcar*: Kelner-Pillault, 1958a: 148. Type information.
 - Cryptoserphus cumaeus*: Masner, 1965a: 7. Type information.
 - Cryptoserphus flavipes*: Masner, 1969a: 780. Type information.
 - Cryptoserphus cumaeus*: Pschorn-Walcher, 1971: 28, 30. Diagnosis, keyed.
 - Cryptoserphus brevimanus*: Kozlov, 1978: 546. Description.
 - Cryptoserphus flavipes*: Townes & Townes, 1981: 77, 81. Description, synonymy, keyed.
 - Serphus (Cryptoserphus) longitarsis* var. *ruficauda*: Townes & Townes, 1981: 81. Type information.
 - Serphus (Cryptoserphus) brevimanus*: Townes & Townes, 1981: 81. Lectotype designation.
 - Cryptoserphus cumaeus fungorum*: Townes & Townes, 1981: 81. Lectotype designation.
 - Cryptoserphus flavipes*: Wall, 1986: 225. Keyed.
- fortis** Townes NA
- * *Cryptoserphus fortis* Townes, in Townes & Townes, 1981: 77, 85, ♀. CNCI Keyed.
 - Cryptoserphus fortis*: Sarazin, 1986: 969. Type information.
- gracilis** Brues F
- * *Cryptoserphus gracilis* Brues, 1940a: 259, ♀. ZMUK Keyed.
- hamiferus** Brues F
- * *Cryptoserphus hamiferus* Brues, 1940a: 259, 261, ♀. MCZC Keyed.

hirtipennis Townes OR

* *Cryptoserphus hirtipennis* Townes, in Townes & Townes, 1981: 78, 89, σ , φ . AEIC Keyed.

koggeauxillarius Szabó F

* *Cryptoserphus koggeauxillarius* Szabó & Oehlke, 1986: 100, φ . JOAC

latidens Townes NO

* *Cryptoserphus latidens* Townes, in Townes & Townes, 1981: 77, 84, σ , φ . CNCI Keyed.

Cryptoserphus latidens: Sarazin, 1986: 969. Type information.

longitarsis (Thomson) PA

* *Proctotrupes longitarsis* Thomson, 1858: 415, φ . NHRS

Proctotrupes longitarsis: Vollenhoven, 1876: 30, plate 18, figure 8. Emendation, figure.

Serphus (Cryptoserphus) Longitarsis: Kieffer, 1908e: 320. Description, generic transfer, subgeneric assignment.

Cryptoserphus longitarsis: Kieffer, 1909c: 7. Generic transfer.

Cryptoserphus longitarsis: Kieffer, 1914e: 37, 39. Description, keyed.

Proctotrupes longitarsis: Morley, 1922: 59. Keyed.

Cryptoserphus longitarsis: Nixon, 1938d: 460, 463. Description, keyed.

Cryptoserphus longitarsis: Nixon, 1942: 195, 196. Taxonomic status, keyed.

* *Cryptoserphus longicalcar castaneus* Tomšik, 1944a: 52, φ . MMBC Synonymized by Townes, in Townes & Townes (1981).

Cryptoserphus longitarsis: Pschorn-Walcher, 1964: 2. Diagnosis.

Cryptoserphus longitarsis: Stelfox, 1966b: 538. Diagnosis.

Cryptoserphus longitarsis: Pschorn-Walcher, 1971: 28, 30. Diagnosis, keyed.

Cryptoserphus longitarsis: Townes & Townes, 1981: 77, 79. Description, type information, synonymy, keyed.

Cryptoserphus longitarsis: Wall, 1986: 225. Keyed.

medius Townes NA, PA

* *Cryptoserphus medius* Townes, in Townes & Townes, 1981: 78, 87, σ , φ . AEIC Keyed.

Cryptoserphus medius: Wall, 1986: 226. Keyed.

obsolescens Brues F

* *Cryptoserphus obsolescens* Brues, 1940a: 259, 261, φ . ZMUK Keyed.

occidentalis Brues NA

* *Cryptoserphus occidentalis* Brues, 1919: 7, φ . MCZC

Cryptoserphus occidentalis: Masner, 1965b: 297. Type information.

Cryptoserphus occidentalis: Townes & Townes, 1981: 77, 86. Description, keyed.

pauciruga Townes NA, NO

* *Cryptoserphus pauciruga* Townes, in Townes & Townes, 1981: 77, 84, σ , φ . AEIC Keyed.

pinorum Brues F

* *Cryptoserphus pinorum* Brues, 1940a: 259, 260, φ . MCZC Keyed.

quintanus Townes NO

* *Cryptoserphus quintanus* Townes, in Townes & Townes, 1981: 78, 94, φ . AEIC Keyed.

rostratus Townes NO

* *Cryptoserphus rostratus* Townes, in Townes & Townes, 1981: 79, 94, σ , φ . AEIC Keyed.

succinalis Brues F

* *Cryptoserphus succinalis* Brues, 1940a: 259, 262, φ . MCZC Keyed.

tertiarius Brues F

* *Cryptoserphus tertarius* Brues, 1940a: 259, 261, φ . MCZC Keyed.

Disogmus Förster

Disogmus Förster, 1856: 99. Type species: *Proctotrupes areolator* Haliday, designated by Walker (1874b), Ashmead (1893). Key to species.

Disogmus: Marshall, 1873: 2. Catalog of species of Britain.

Disogmus: Walker, 1874b: 33. Key to species of Förster (1856).

Disogmus: Ashmead, 1893: 332. Description, keyed.

- Disogmus*: Dalla Torre, 1898b: 467. Catalog of species.
Disogmus: Ashmead, 1902a: 244. Keyed.
Disogmus: Kieffer, 1906a: 271. Key to species of America.
Disogmus: Kieffer, 1907f: 272, 277. Description, key to species of Europe and Algeria.
Disogmus: Kieffer, 1909c: 2, 3. Description, list of species, keyed.
Disogmus: Kieffer, 1914e: 5, 16. Description, key to species, keyed.
Disogmus: Dodd, 1915: 384. Keyed.
Disogmus: Brues, 1916b: 573. Keyed.
Disogmus: Morley, 1922: 2, 3. Key to species of Britain, keyed.
Disogmus: Morley, 1929: 40. Catalog of species of Britain.
Disogmus: Nixon, 1938d: 433, 447. Description, keyed, key to species of Britain.
Disogmus: Hellén, 1941: 32, 39. Key to species of east Scandinavia, keyed.
Disogmus: Tomšik, 1944a: 55. Diagnosis.
Disogmus: Muesebeck & Walkley, 1951: 664. Catalog of species of U.S. and Canada.
Disogmus: Riek, 1955a: 107. Keyed.
Disogmus: Muesebeck & Walkley, 1956: 347. Citation of type species.
Disogmus: Masner, 1958c: 480. Keyed.
Disogmus: Pschorn-Walcher, 1958a: 58. Diagnosis, list of Palearctic species.
Disogmus: Masner, 1961c: 44. Keyed.
Disogmus: Kozlov, 1971: 8. Keyed.
Disogmus: Pschorn-Walcher, 1971: 25, 32. Diagnosis, key to species of Palearctic, keyed.
Disogmus: Fergusson, 1978: 111. Checklist of species of Britain.
Disogmus: Kozlov, 1978: 545. Description, key to species of the European USSR.
Disogmus: Muesebeck, 1979b: 1123. Catalog of species of U.S. and Canada.
Disogmus: Fabritius, 1980b: 271. Description.
Disogmus: Townes & Townes, 1981: 21. Description, key to species.
Disogmus: Mani & Sharma, 1982: 247. Keyed.
Disogmus: Wall, 1986: 223. Keyed.

areolator (Haliday) NA, PA

- * *Proctotrupes areolator* Haliday, 1839a: 13, σ , φ . NMID
Proctotrupes Areolator: Curtis, 1839: 744. Description.
Bethylus (Proctotrupes) areolator: Blanchard, in Cuvier, 1849: plate 115, figure 4. Generic transfer.
Disogmus areolator: Förster, 1856: 100. Generic transfer, keyed.
* *Disogmus aequator* Förster, 1856: 100, σ . NHMW Keyed. Synonymized by Pschorn-Walcher (1971).
* *Disogmus discrepator* Förster, 1856: 100, σ . Type missing from NHMW (Townes & Townes 1981). Keyed. Synonymized by Pschorn-Walcher (1971).
* *Proctotrupes elegans* Thomson, 1858: 414, φ . MZLU Synonymized by Marshall (1873).
* *Proctotrupes nigripennis* Thomson, 1858: 415, σ . NHRS Synonymized by Pschorn-Walcher (1971).
Disogmus discrepator: Walker, 1874b: 33. Keyed.
Disogmus aequator: Walker, 1874b: 33. Keyed.
Disogmus areolator: Walker, 1874b: 33. Keyed.
Proctotrupes Areolator: Vollenhoven, 1876: plate 19, figure 3. Figure.
* *Disogmus canadensis* Harrington, 1900: 193, φ . CNCI Synonymized by Townes, in Townes & Townes (1981).
* *Disogmus diversicornis* Kieffer, 1906a: 271, σ . Type lost (Townes & Townes 1981). Keyed. Synonymized by Townes, in Townes & Townes (1981).
* *Disogmus glabratus* Kieffer, 1906a: 271, 273, σ . CASC Keyed. Synonymized by Townes, in Townes & Townes (1981).
* *Disogmus Carinatus* Kieffer, 1907f: 282, σ . MNHN Synonymized by Townes, in Townes & Townes (1981).

- Disogmus Areolator*: Kieffer, 1907f: 283, 286. Description.
- * *Disogmus Areolator* var. *ephippium* Kieffer, 1907f: 283. NMID
- Disogmus Elegans*: Kieffer, 1907f: 284. Description, generic transfer.
- Disogmus Discrepator*: Kieffer, 1907f: 285. Description.
- Disogmus Aequator*: Kieffer, 1907f: 286. Description.
- Disogmus Nigripennis*: Kieffer, 1907f: 286. Description, generic transfer.
- Disogmus carinatus*: Kieffer, 1914e: 16, 18. Description, keyed.
- Disogmus areolator*: Kieffer, 1914e: 16, 17. Keyed.
- Disogmus areolator areolator*: Kieffer, 1914e: 18. Description.
- Disogmus areolator ephippium*: Kieffer, 1914e: 19. Description.
- Disogmus elegans*: Kieffer, 1914e: 16, 19. Description, keyed.
- Disogmus aequator*: Kieffer, 1914e: 17, 20. Description, keyed.
- Disogmus discrepator*: Kieffer, 1914e: 17, 20. Description, keyed.
- Disogmus nigripennis*: Kieffer, 1914e: 17, 20. Description, keyed.
- Disogmus diversicornis*: Kieffer, 1914e: 17, 21. Description, keyed.
- Disogmus glabratus*: Kieffer, 1914e: 17, 21. Description, keyed.
- Disogmus canadensis*: Kieffer, 1914e: 17, 22. Description, keyed.
- Disogmus areolator*: Morley, 1922: 3. Keyed.
- * *Disogmus torvus* Whittaker, 1930a: 68, ♂, ♀. BMNH Synonymized by Townes, in Townes & Townes (1981).
- Disogmus nigripennis*: Nixon, 1938d: 447, 448. Description, keyed.
- Disogmus areolator*: Nixon, 1938d: 448. Description, keyed.
- Disogmus nigripennis*: Hellén, 1941: 40. Description, keyed.
- Disogmus carinatus*: Tomšik, 1944a: 55. Description.
- Disogmus torvus*: Masner, 1965a: 7. Type information.
- Proctotrupes areolator*: Nixon, in Stelfox, 1966b: 533. Lectotype designation.
- Disogmus areolator*: Pschorn-Walcher, 1971: 34. Synonymy, diagnosis, keyed.
- Disogmus nigripennis*: Kozlov, 1978: 546. Description.
- Disogmus diversicornis*: Hoebeke, 1980: 25. Type information.
- Disogmus areolator*: Townes & Townes, 1981: 22, 24. Description, synonymy, keyed.
- Disogmus discrepator*: Townes & Townes, 1981: 24. Type information.
- Disogmus aequator*: Townes & Townes, 1981: 25. Type information.
- Proctotrupes elegans*: Townes & Townes, 1981: 25. Type information.
- Proctotrupes nigripennis*: Townes & Townes, 1981: 25. Type information.
- Disogmus canadensis*: Townes & Townes, 1981: 25. Type information.
- Disogmus diversicornis*: Townes & Townes, 1981: 25. Type information.
- Disogmus glabratus*: Townes & Townes, 1981: 25. Type information.
- Disogmus carinatus*: Townes & Townes, 1981: 25. Type information.
- Disogmus areolator* var. *ephippium*: Townes & Townes, 1981: 25. Type information.
- Disogmus areolator*: Wall, 1986: 223. Keyed.
- basalis (Thomson) PA**
- * *Proctotrupes basalis* Thomson, 1858: 416, ♂. MZLU
- Proctotrupes basalis*: Vollenhoven, 1876: plate 18, figure 9. Figure.
- Disogmus Basalis*: Kieffer, 1907f: 278. Description, generic transfer.
- * *Disogmus Carinatus* var. *fuscitarsis* Kieffer, 1907f: 282, ♂. MNHN Synonymized by Townes, in Townes & Townes (1981).
- Disogmus basalis*: Kieffer, 1914e: 16, 17. Description, keyed.
- Disogmus fuscitarsis*: Kieffer, 1914e: 16, 18. Description, keyed.
- Disogmus basalis*: Nixon, 1938d: 447, 448, 450. Description, keyed.
- Disogmus basalis*: Hellén, 1941: 40. Description, keyed.
- Disogmus basalis*: Pschorn-Walcher, 1971: 34. Diagnosis, keyed.
- Disogmus basalis*: Kozlov, 1978: 546. Description.
- Disogmus basalis*: Townes & Townes, 1981: 22, 28. Description, lectotype designation, synonymy, keyed.

- Disogmus carinatus* var. *fuscitarsis*: Townes & Townes, 1981: 28. Type information.
Disogmus basalis: Wall, 1986: 224. Keyed.
- bruesi (Muesebeck & Walkley) NA**
- * *Disogmus obsoletus* Brues, 1905: 186, ♀. USNM Preoccupied by *Proctotrupes obsoletus* Say (1836).
Cryptoserphus obsoletus: Kieffer, 1914e: 37, 41. Generic transfer, description, keyed.
Disogmus obsoletus: Brues, 1916b: 573. Description.
 - * *Cryptoserphus bruesi* Muesebeck & Walkley, 1951: 665. Replacement name.
Cryptoserphus bruesi: Masner & Muesebeck, 1968: 6. Type information.
Disogmus obsoletus: Townes & Townes, 1981: 22, 23. Description, keyed.
- costatus Townes NA**
- * *Disogmus costatus* Townes, in Townes & Townes, 1981: 22, 23, ♂, ♀. AEIC Keyed.

Exallonyx Kieffer

- Exallonyx* Kieffer, 1904c: 34. Type species: *Exallonyx formicarius* Kieffer, by original designation. Synonymized by Muesebeck & Walkley (1951).
Exallonyx: Kieffer, 1906a: 273. Key to species of America.
Exallonyx: Kieffer, 1907f: 273. Description
Exallonyx: Kieffer, 1908e: 325. Key to species of Europe and Algeria.
Exallonyx: Kieffer, 1909c: 2, 7. Description, list of species, keyed.
Exallonyx: Kieffer, 1914e: 5, 42. Description, key to species, keyed.
Exallonyx: Brues, 1919: 9. Key to species of North America.
Exallonyx: Morley, 1922: 2, 159. Diagnosis, key to species of Britain, keyed.
Exallonyx: Morley, 1929: 40. Catalog of species of Britain.
Exallonyx: Nixon, 1938d: 433, 434. Keyed, key to species of Britain.
Exallonyx: Hellén, 1941: 32, 36. Key to species of east Scandinavia, keyed.
Exallonyx: Tomšik, 1944a: 53. Diagnosis.
Exallonyx: Muesebeck & Walkley, 1956: 353. Citation of type species.
Eocodrus Pschorn-Walcher, 1958a: 62. Type: *Codrus longicornis* Nees ab Esenbeck, by original designation. (Pschorn-Walcher (1958a) states: "Typisch ist *C. (Eocodrus) longicornis* Nees.") Proposed as a subgenus of *Codrus* Panzer.
Codrus (Eocodrus): Masner, 1961c: 43. Keyed.
Codrus (Eocodrus): Kozlov, 1971: 11. Keyed.
Exallonyx: Townes & Townes, 1981: 133, 203. Description, key to subgenera, keyed.
Exallonyx (Eocodrus): Townes & Townes, 1981: 204. Description, key to species, keyed.
Exallonyx (Exallonyx): Townes & Townes, 1981: 204, 210, 213, 230, 306, 308, 324, 342, 354, 365, 373, 376, 378. Description, division into species groups, keys to species groups and species, keyed.
Exallonyx: Wall, 1986: 226, 230. Key to subgenera, keyed.
Exallonyx (Eocodrus): Wall, 1986: 230. Key to species of Europe, keyed.
Exallonyx (Exallonyx): Wall, 1986: 230. Key to species of Europe, keyed.
Exallonyx (Eocodrus): Wall, 1991: 44. Description.
Exallonyx (Exallonyx): Wall, 1991: 44. Description.

achilus Townes NO

- * *Exallonyx (Exallonyx) achilus* Townes, in Townes & Townes, 1981: 355, 356, 361, ♂, ♀. CNCI Keyed.
Exallonyx achilus: Sarazin, 1986: 967. Type information.

albicornis Townes AU

- * *Exallonyx (Exallonyx) albicornis* Townes, in Townes & Townes, 1981: 374, 375, ♂. AEIC Keyed.

alticola Kieffer AF

- * *Exallonyx alticola* Kieffer, 1913b: 20, ♂. MNHN

- Exallonyx alticola*: Kieffer, 1914e: 43, 53. Description, keyed.
Exallonyx alticola: Risbec, 1950: 515. Description.
Codrus (Exallonyx) alticola: Sundholm, 1970: 307. Diagnosis.
- * *Codrus longipetiolatus* Sundholm, 1970: 307, ♀. MZLU Synonymized by Townes, in Townes & Townes (1981).
Exallonyx (Exallonyx) alticola: Townes & Townes, 1981: 234, 235, 242, 297. Description, subgeneric assignment, synonymy, lectotype designation, keyed.
- amplipennis Townes NO**
- * *Exallonyx (Exallonyx) amplipennis* Townes, in Townes & Townes, 1981: 309, 311, ♂. CNCI Keyed.
Exallonyx amplipennis: Sarazin, 1986: 967. Type information.
- anceps Townes OR**
- * *Exallonyx (Exallonyx) anceps* Townes, in Townes & Townes, 1981: 379, 381, ♂, ♀. AEIC Keyed.
- angulatus Townes PA**
- * *Exallonyx (Exallonyx) angulatus* Townes, in Townes & Townes, 1981: 241, 285, ♀. AEIC Keyed.
Exallonyx (Exallonyx) angulatus: Wall, 1986: 232. Keyed.
- angusticeps (Brues) NA**
- * *Proctotrypes angusticeps* Brues, 1909b: 112, ♀. MCZC Keyed.
Exallonyx (?) angusticeps: Kieffer, 1914e: 45, 55. Description, generic transfer, keyed.
Exallonyx angusticeps: Brues, 1919: 9. Keyed.
?Codrus angusticeps: Muesebeck & Walkley, 1951: 665. Generic transfer.
Codrus angusticeps: Masner, 1965b: 295. Type information.
Exallonyx (Exallonyx) angusticeps: Townes & Townes, 1981: 233, 237, 257. Description, subgeneric assignment, keyed.
- angustoralis Townes NO**
- * *Exallonyx (Exallonyx) angustoralis* Townes, in Townes & Townes, 1981: 310, 320, ♂. AEIC Keyed.
- antennalis Townes NO**
- * *Exallonyx (Exallonyx) antennalis* Townes, in Townes & Townes, 1981: 344, 351, ♀. CNCI Keyed.
Exallonyx antennalis: Sarazin, 1986: 968. Type information.
- antillarum (Ashmead) NO**
- * *Proctotrypes antillarum* Ashmead, 1900a: 240, ♂. BMNH
Phaenoserphus antillarum: Kieffer, 1909c: 5. Generic transfer.
Phaenoserphus antillarum: Kieffer, 1914e: 24, 35. Description, keyed.
Codrus antillarum: Masner, 1965a: 5. Generic transfer, type information.
Exallonyx (Exallonyx) antillarum: Townes & Townes, 1981: 326, 337. Description, generic transfer, subgeneric assignment, keyed.
- applanatus Townes NO**
- * *Exallonyx (Exallonyx) applanatus* Townes, in Townes & Townes, 1981: 327, 336, ♀. CNCI Keyed.
Exallonyx applanatus: Sarazin, 1986: 968. Type information.
- arctus Townes OR**
- * *Exallonyx (Exallonyx) arctus* Townes, in Townes & Townes, 1981: 326, 335, ♂. CNCI Keyed.
Exallonyx arctus: Sarazin, 1986: 968. Type information.
- arizonicus Townes NA**
- * *Exallonyx (Exallonyx) arizonicus* Townes, in Townes & Townes, 1981: 234, 240, 269, ♂, ♀. AEIC Keyed.
- artoculus Townes NA**
- * *Exallonyx (Exallonyx) artoculus* Townes, in Townes & Townes, 1981: 214, 215, 228, ♂, ♀. AEIC Keyed.

ashmeadi Brues NA

- * *Exallonyx ashmeadi* Brues, 1919: 10, 13, ♂. MCZC Keyed.
- Codrus ashmeadi*: Muesebeck & Walkley, 1951: 665. Generic transfer.
- Codrus ashmeadi*: Masner, 1965b: 295. Type information.
- Exallonyx (Exallonyx) ashmeadi*: Townes & Townes, 1981: 233, 238, 239, 259. Description, subgeneric assignment, keyed.

asper Townes NO

- * *Exallonyx (Exallonyx) asper* Townes, in Townes & Townes, 1981: 233, 234, 238, 265, ♂, ♀. AEIC Keyed.

ater (Gravenhorst) PA

- * *Codrus ater* Gravenhorst, 1807: 263.
- * *Proctotrypes aterimus* Dalla Torre, 1898b: 462. NHRS Proposed as a replacement name for Thomson's (1858) interpretation of *Codrus ater* Nees. Synonymized by Townes, in Townes & Townes (1981).
- * *Exallonyx Xanthocerus* Kieffer, 1908e: 332, ♀. MCSN Synonymized by Townes, in Townes & Townes (1981).
- * *Exallonyx Syriacus* Kieffer, 1908e: 334, ♂. MCSN Synonymized by Townes, in Townes & Townes (1981).
- * *Exallonyx Filicornis* Kieffer, 1908e: 341, ♂, ♀. NMID Synonymized by Townes, in Townes & Townes (1981).
- * *Exallonyx Ligatus* var. *Coxalis* Kieffer, 1908e: 345, ♀. HNHM Synonymized by Townes, in Townes & Townes (1981).
- Phaenoserphus ? aterimus*: Kieffer, 1909c: 5. Generic transfer.
- Exallonyx xanthocerus*: Kieffer, 1914e: 43, 47. Description, keyed.
- Exallonyx syriacus*: Kieffer, 1914e: 43, 48. Description, keyed.
- Exallonyx filicornis*: Kieffer, 1914e: 44. Keyed.
- Exallonyx filicornis filicornis*: Kieffer, 1914e: 51. Description.
- Exallonyx ligatus coxalis*: Kieffer, 1914e: 52. Description, change to subspecies status.
- Exallonyx aterimus*: Kieffer, 1914e: 53. Generic transfer, description.
- Exallonyx xanthocerus*: Morley, 1922: 159, 161. Description, keyed.
- * *Exallonyx gracilis* Nixon, 1938d: 435, 439, ♀. BMNH Keyed. Synonymized by Townes, in Townes & Townes (1981).
- Exallonyx ater* var. *aterimus*: Hellén, 1941: 39. Diagnosis.
- Exallonyx ater aterimus*: Tomšik, 1944a: 55. Description, change to subspecies status.
- Codrus gracilis*: Masner, 1965a: 6. Generic transfer, type information.
- Codrus (Codrus) gracilis*: Pschorn-Walcher, 1971: 49, 53, 56. Diagnosis, keyed.
- Codrus xanthocerus*: Fergusson, 1978: 111. Generic transfer.
- Codrus (Codrus) gracilis*: Kozlov, 1978: 547. Description, subgeneric assignment.
- Codrus (Codrus) ater*: Fabritius, 1980b: 270. Description.
- Exallonyx (Exallonyx) ater*: Townes & Townes, 1981: 213, 214, 220. Description, subgeneric assignment, synonymy, keyed.
- Proctotrypes aterimus*: Townes & Townes, 1981: 220. Lectotype designation.
- Exallonyx xanthocerus*: Townes & Townes, 1981: 220. Lectotype designation.
- Exallonyx syriacus*: Townes & Townes, 1981: 220. Lectotype designation.
- Exallonyx filicornis*: Townes & Townes, 1981: 220. Type information.
- Exallonyx ligatus* var. *coxalis*: Townes & Townes, 1981: 220. Lectotype designation.
- Exallonyx (Exallonyx) ater*: Wall, 1986: 231. Keyed.
- Exallonyx (Exallonyx) ater*: Wall, 1991: 45. Description, variation.

atrellus Townes NO

- * *Exallonyx (Exallonyx) atrellus* Townes, in Townes & Townes, 1981: 326, 337, ♂. AEIC Keyed.

atripes Townes NA, NO

- * *Exallonyx (Exallonyx) atripes* Townes, in Townes & Townes, 1981: 325, 327, 331, ♂, ♀. AEIC Keyed.

binodus Townes NO

- * *Exallonyx (Exallonyx) binodus* Townes, in Townes & Townes, 1981: 310, 320, ♂. AEIC Keyed.

bisulcus Townes NA

- * *Exallonyx (Exallonyx) bisulcus* Townes, in Townes & Townes, 1981: 232, 238, 251, ♂, ♀. AEIC Keyed.

boreus Townes NA

- * *Exallonyx (Exallonyx) boreus* Townes, in Townes & Townes, 1981: 213, 215, 225, ♂, ♀. AEIC Keyed.

brevicornis (Haliday) NA, PA

- * *Proctotrupes brevicornis* Haliday, 1839a: 9, ♀. NMID
- Exallonyx brevicornis*: Kieffer, 1904c: 35. Generic transfer.
- Exallonyx Brevicornis*: Kieffer, 1908e: 337. Description.
- * *Exallonyx Brevicornis* var. *Lineata* Kieffer, 1908e: 338, ♀. HNHM
- Exallonyx brevicornis* var. *lineatus*: Kieffer, 1909c: 7. Emendation.
- Exallonyx brevicornis*: Kieffer, 1914e: 44. Keyed.
- Exallonyx brevicornis brevicornis*: Kieffer, 1914e: 49. Description.
- Exallonyx brevicornis lineata*: Kieffer, 1914e: 49. Description, change to subspecies status.
- Exallonyx brevicornis*: Morley, 1922: 159. Keyed.
- Exallonyx brevicornis*: Nixon, 1938d: 435, 442. Description, keyed.
- Exallonyx brevicornis*: Hellén, 1941: 37, 38. Kieffer's descriptions excluded from this name, keyed.
- Exallonyx brevicornis*: Tomšik, 1944a: 53. Description.
- Codrus (Eocodrus) brevicornis*: Pschorn-Walcher, 1958a: 62. Generic transfer, subgeneric assignment.
- Codrus (Eocodrus) brevicornis*: Pschorn-Walcher, 1971: 47, 51, 53. Diagnosis, keyed.
- Codrus (Eocodrus) brevicornis*: Kozlov, 1978: 548. Description.
- Exallonyx (Eocodrus) brevicornis*: Townes & Townes, 1981: 204, 205. Description, subgeneric assignment, type information, keyed.
- Exallonyx brevicornis* var. *lineata*: Townes & Townes, 1981: 205. Lectotype designation.
- Exallonyx (Eocodrus) brevicornis*: Wall, 1986: 230. Keyed.

brevimala Townes PA

- * *Exallonyx (Exallonyx) brevimala* Townes, in Townes & Townes, 1981: 235, 241, 289, ♂, ♀. CNCI Keyed.
- Exallonyx brevimala*: Sarazin, 1986: 968. Type information.
- Exallonyx (Exallonyx) brevimala*: Wall, 1986: 233, 234. Keyed.
- Exallonyx (Exallonyx) brevimala*: Wall, 1991: 50. Description.

brunescens Townes NO

- * *Exallonyx (Exallonyx) brunescens* Townes, in Townes & Townes, 1981: 326, 327, 338, ♂, ♀. AEIC Keyed.

brutus Townes NO

- * *Exallonyx (Exallonyx) brutus* Townes, in Townes & Townes, 1981: 236, 287, ♂. CNCI Keyed.
- Exallonyx brutus*: Sarazin, 1986: 968. Type information.

burhytis Townes NO

- * *Exallonyx (Exallonyx) burhytis* Townes, in Townes & Townes, 1981: 344, 352, ♂, ♀. CNCI Keyed.
- Exallonyx burhytis*: Sarazin, 1986: 968. Type information.

californicus (Holmgren) NA

- * *Proctotrupes californicus* Holmgren, 1868: 434, ♂. NHRS
- Proctotrupes californicus*: Ashmead, 1893: 334, 338. Description, keyed.
- * *Exallonyx dentaticornis* Kieffer, 1906a: 273, 275, ♂. CASC Keyed. Synonymized by Townes, in Townes & Townes (1981).
- Exallonyx californicus*: Kieffer, 1908e: 325. Generic transfer.

- * *Proctotypes serricornis* Brues, 1909b: 112, 115, ♂. MCZC Keyed. Synonymized by Townes, in Townes & Townes (1981).
Phaenoserphus serricornis: Kieffer, 1914e: 23, 31. Generic transfer, description, keyed.
Exallonyx californicus: Kieffer, 1914e: 44, 54. Generic transfer, description, keyed.
Exallonyx dentaticornis: Kieffer, 1914e: 44, 54. Description, keyed.
Serphus californicus: Brues, 1916b: 574, 575. Description, generic transfer, keyed.
Exallonyx dentaticornis: Brues, 1919: 10. Keyed.
Exallonyx serricornis: Brues, 1919: 10. Keyed.
Codrus californicus: Muesebeck & Walkley, 1951: 665. Generic transfer.
Codrus dentaticornis: Muesebeck & Walkley, 1951: 665. Generic transfer.
Codrus serricornis: Masner, 1965b: 296. Type information, generic transfer.
Codrus serricornis: Masner, in Krombein & Burks, 1967: 287. Generic transfer.
Exallonyx (Exallonyx) californicus: Townes & Townes, 1981: 232, 238, 253. Description, subgeneric assignment, type information, synonymy, keyed.
Exallonyx dentaticornis: Townes & Townes, 1981: 253. Type information.
- calvescens Townes NO**
 * *Exallonyx (Exallonyx) calvescens* Townes, in Townes & Townes, 1981: 310, 316, ♂. AEIC Keyed.
- camelinus Townes AU**
 * *Exallonyx (Exallonyx) camelinus* Townes, in Townes & Townes, 1981: 366, 368, ♀. AEIC Keyed.
- capillatus Townes AU**
 * *Exallonyx (Exallonyx) capillatus* Townes, in Townes & Townes, 1981: 377, 378, ♂. AEIC Keyed.
- capnodes Townes NO**
 * *Exallonyx (Exallonyx) capnodes* Townes, in Townes & Townes, 1981: 343, 346, ♂. AEIC Keyed.
- carbunculus Townes NO**
 * *Exallonyx (Exallonyx) carbunculus* Townes, in Townes & Townes, 1981: 309, 311, 314, ♂, ♀. AEIC Keyed.
- castaneipes Townes NO**
 * *Exallonyx (Exallonyx) castaneipes* Townes, in Townes & Townes, 1981: 344, 349. AEIC Keyed.
- certus Townes PA**
 * *Exallonyx (Eocodrus) certus* Townes, in Townes & Townes, 1981: 204, 209, ♂, ♀. AEIC Keyed.
- cervicatus Townes NO**
 * *Exallonyx (Exallonyx) cervicatus* Townes, in Townes & Townes, 1981: 236, 242, 303, ♂, ♀. AEIC Keyed.
- chiuae Townes OR**
 * *Exallonyx (Exallonyx) chiuae* Townes, in Townes & Townes, 1981: 237, 301, ♂. AEIC Keyed.
- cingulatus Townes AF**
 * *Exallonyx (Exallonyx) cingulatus* Townes, in Townes & Townes, 1981: 307, ♀. AEIC Keyed.
- claripes Townes NO**
 * *Exallonyx (Exallonyx) claripes* Townes, in Townes & Townes, 1981: 235, 285, ♂. AEIC Keyed.
- clinatus Townes AU**
 * *Exallonyx (Exallonyx) clinatus* Townes, in Townes & Townes, 1981: 366, 369, ♂. AEIC Keyed.
- collaris Townes NO**
 * *Exallonyx (Exallonyx) collaris* Townes, in Townes & Townes, 1981: 344, 353, ♂, ♀. CNCI Keyed.
Exallonyx collaris: Sarazin, 1986: 968. Type information.

columnaris Townes NO

- * *Exallonyx (Exallonyx) columnaris* Townes, in Townes & Townes, 1981: 344, 351, ♀. CNCI Keyed.

Exallonyx columnaris: Sarazin, 1986: 969. Type information.

confusus Nixon PA

- * *Exallonyx confusus* Nixon, 1938d: 435, 441, ♀. BMNH Keyed.
- * *Exallonyx ater* var. *confusus*: Hellén, 1941: 39. Diagnosis, change to varietal status.
- Codrus confusus*: Masner, 1965a: 5. Lectotype designation, generic transfer.
- Codrus (Codrus) confusus*: Pschorn-Walcher, 1971: 49, 53, 56. Diagnosis, keyed.
- Codrus (Codrus) confusus*: Kozlov, 1978: 547. Description, subgeneric assignment.
- Exallonyx (Exallonyx) confusus*: Townes & Townes, 1981: 242, 293. Description, subgeneric assignment, keyed.
- Exallonyx (Exallonyx) confusus*: Wall, 1986: 233. Keyed.
- Exallonyx (Exallonyx) confusus*: Wall, 1991: 50. Description.

coracinus Townes AU

- * *Exallonyx (Exallonyx) coracinus* Townes, in Townes & Townes, 1981: 366, 367, 372, ♂, ♀. AEIC Keyed.

cracens Townes AU

- * *Exallonyx (Exallonyx) cracens* Townes, in Townes & Townes, 1981: 366, 367, 371, ♂, ♀. AEIC Keyed.

crassulus Townes NA

- * *Exallonyx (Exallonyx) crassulus* Townes, in Townes & Townes, 1981: 235, 241, 280, ♂, ♀. AEIC Keyed.

crenicornis Kieffer NA

- * *Exallonyx crenicornis* Kieffer, 1906a: 273, 274, ♂. CASC Keyed.
- Exallonyx crenicornis*: Kieffer, 1914e: 44, 54. Description, keyed.
- Exallonyx crenicornis*: Brues, 1919: 10. Keyed.
- Codrus crenicornis*: Muesebeck & Walkley, 1951: 665. Generic transfer.
- Exallonyx (Exallonyx) crenicornis*: Townes & Townes, 1981: 233, 239, 261. Description, subgeneric assignment, type information, keyed.

crenicornis (Nees ab Esenbeck) PA

- * *Codrus crenicornis* Nees ab Esenbeck, 1834: 357, ♀.
- * *Proctotrupes clavipes* Thomson, 1858: 420, ♀. NHRS Synonymized by Townes, in Townes & Townes (1981).
- Proctotrupes crenicornis*: Kawall, 1865: 374. Generic transfer.
- Proctotrupes clavipes*: Vollenhoven, 1876: 30, plate 19, figure 6. Diagnosis, figure.
- Serphus (Phaenoserphus) Clavipes*: Kieffer, 1908e: 310. Description, generic transfer, subgeneric assignment.
- Exallonyx Crenicornis*: Kieffer, 1908e: 326. Description, generic transfer.
- * *Exallonyx Fumipennis* Kieffer, 1908e: 339, ♂. MNHN Synonymized by Townes, in Townes & Townes (1981).
- * *Exallonyx Fumipennis* var. *donisthorpei* Kieffer, 1908e: 339, ♂. BMNH Synonymized by Townes, in Townes & Townes (1981).
- Phaenoserphus ? clavipes*: Kieffer, 1909c: 5. Generic transfer.
- Phaenoserphus clavipes*: Kieffer, 1914e: 23, 28. Description, keyed.
- Exallonyx crenicornis*: Kieffer, 1914e: 43, 45. Description, keyed.
- Exallonyx fumipennis*: Kieffer, 1914e: 44. Keyed.
- Exallonyx fumipennis fumipennis*: Kieffer, 1914e: 50. Description.
- Exallonyx fumipennis donisthorpei*: Kieffer, 1914e: 50. Description, change to subspecies status.
- Exallonyx fumipennis*: Morley, 1922: 160, 182. Description, keyed.
- Exallonyx donisthorpei*: Nixon, 1938d: 435, 444. Description, keyed.
- Exallonyx fumipennis*: Tomšik, 1944a: 54. Description.
- Exallonyx fumipennis*: Kelner-Pillault, 1958a: 148. Type information.

- Codrus fumipennis* var. *donisthorpei*: Masner, 1965a: 6. Generic transfer, type information.
- Codrus (Codrus) donisthorpei*: Pschorn-Walcher, 1971: 51, 57. Diagnosis, keyed.
- Codrus fumipennis*: Fergusson, 1978: 111. Generic transfer.
- Codrus (Codrus) donisthorpei*: Kozlov, 1978: 548. Description, subgeneric assignment.
- Codrus (Codrus) donisthorpei*: Fabritius, 1980b: 268. Description.
- Exallonyx (Exallonyx) crenicornis*: Townes & Townes, 1981: 355, 356, 359. Description, subgeneric assignment, synonymy, keyed.
- Proctotrupes clavipes*: Townes & Townes, 1981: 359. Type information.
- Exallonyx (Exallonyx) crenicornis*: Wall, 1986: 235. Keyed.
- culmeus** Townes NO
- * *Exallonyx (Exallonyx) culmeus* Townes, in Townes & Townes, 1981: 326, σ . AEIC Keyed.
- daschi** Townes NO
- * *Exallonyx (Exallonyx) daschi* Townes, in Townes & Townes, 1981: 233, 239, 268, σ , φ . AEIC Keyed.
- datae** Townes OR
- * *Exallonyx (Exallonyx) datae* Townes, in Townes & Townes, 1981: 325, 328, 342, σ , φ . AEIC Keyed.
- declivus** Townes NA
- * *Exallonyx (Exallonyx) declivus* Townes, in Townes & Townes, 1981: 233, 256, σ , φ . AEIC Keyed.
- decumbens** Townes NA
- * *Exallonyx (Exallonyx) decumbens* Townes, in Townes & Townes, 1981: 232, 255, σ . AEIC Keyed.
- deflexus** Townes NO
- * *Exallonyx (Exallonyx) deflexus* Townes, in Townes & Townes, 1981: 344, 350, σ . AEIC Keyed.
- dictyotus** Townes AU
- * *Exallonyx (Exallonyx) dictyotus* Townes, in Townes & Townes, 1981: 366, 367, 370, σ , φ . AEIC Keyed.
- dilatus** Townes AU
- * *Exallonyx (Exallonyx) dilatus* Townes, in Townes & Townes, 1981: 367, 371, φ . AEIC Keyed.
- diminuens** Townes NO
- * *Exallonyx (Exallonyx) diminuens* Townes, in Townes & Townes, 1981: 232, 241, 246, σ , φ . AEIC Keyed.
- durus** Townes NO
- * *Exallonyx (Exallonyx) durus* Townes, in Townes & Townes, 1981: 310, 311, 318, σ , φ . AEIC Keyed.
- ejuncidus** Townes AU
- * *Exallonyx (Exallonyx) ejuncidus* Townes, in Townes & Townes, 1981: 367, 372, φ . AEIC Keyed.
- enomus** Townes NO
- * *Exallonyx (Exallonyx) enomus* Townes, in Townes & Townes, 1981: 311, 318, σ . AEIC Keyed.
- equidens** Townes NA
- * *Exallonyx (Exallonyx) equidens* Townes, in Townes & Townes, 1981: 232, 239, 250, σ , φ . AEIC Keyed.
- evanescens** Townes NO
- * *Exallonyx (Exallonyx) evanescens* Townes, in Townes & Townes, 1981: 343, 345, σ , φ . CNCI Keyed.
- Exallonyx evanescens*: Sarazin, 1986: 969. Type information.
- femoratus** (Ashmead) NA
- * *Proctotrypes femoratus* Ashmead, 1893: 335, 344, φ . USNM Keyed.

- * *Exallonyx fallacicornis* Kieffer, 1906a: 274, ♂. CASC Keyed, spelling error. Synonymized by Townes, in Townes & Townes (1981).
- Proctotypes femoratus*: Brues, 1909b: 112. Keyed.
- * *Proctotypes obscuripes* Brues, 1909b: 112, 114, ♂. MCZC Keyed. Synonymized by Townes, in Townes & Townes (1981).
- Exallonyx femoratus*: Kieffer, 1909c: 7. Generic transfer.
- Phaenoserphus obscuripes*: Kieffer, 1914e: 23, 32. Generic transfer, description, keyed.
- Exallonyx fallacicornis*: Kieffer, 1914e: 44, 55. Description, keyed.
- Exallonyx femoratus*: Kieffer, 1914e: 45, 56. Description, keyed.
- Exallonyx femoratus*: Brues, 1919: 10. Keyed.
- Exallonyx obscuripes*: Brues, 1919: 10. Keyed.
- Exallonyx fallacicornis*: Brues, 1919: 10. Keyed.
- Codrus fallacicornis*: Muesebeck & Walkley, 1951: 665. Generic transfer.
- Codrus femoratus*: Muesebeck & Walkley, 1951: 665. Generic transfer.
- Codrus obscuripes*: Masner, 1965b: 296. Type information, generic transfer.
- Codrus obscuripes*: Masner, in Krombein & Burks, 1967: 286. Generic transfer.
- Codrus femoratus*: Masner & Muesebeck, 1968: 4. Type information.
- Exallonyx (Exallonyx) femoratus*: Townes & Townes, 1981: 233, 239, 263. Description, subgeneric assignment, synonymy, keyed.
- Exallonyx fallacicornis*: Townes & Townes, 1981: 263. Type information.
- flavicinctus Townes NO**
- * *Exallonyx (Exallonyx) flavicinctus* Townes, in Townes & Townes, 1981: 343, 344, ♀. CNCI Keyed.
- Exallonyx flavicinctus*: Sarazin, 1986: 969. Type information.
- flavotinctus Townes AU**
- * *Exallonyx (Exallonyx) flavotinctus* Townes, in Townes & Townes, 1981: 374, 376, ♂. AEIC Keyed.
- formicarius Kieffer PA**
- * *Exallonyx formicarius* Kieffer, 1904c: 35, ♀. NHME
- Exallonyx Formicarius*: Kieffer, 1908e: 332. Description.
- Exallonyx formicarius*: Kieffer, 1914e: 43, 47. Description, keyed.
- Codrus formicarius*: Dessart, 1975: 8. Type information, synonymy.
- Exallonyx (Exallonyx) formicarius*: Townes & Townes, 1981: 240, 272. Description, subgeneric assignment, keyed.
- Exallonyx (Exallonyx) formicarius*: Wall, 1986: 232. Keyed.
- Exallonyx (Exallonyx) formicarius*: Wall, 1991: 45. Description.
- frater Townes NO**
- * *Exallonyx (Exallonyx) frater* Townes, in Townes & Townes, 1981: 236, 270, ♂. AEIC Keyed.
- fuscicornis Brues NA**
- * *Exallonyx fuscicornis* Brues, 1919: 10, 12, ♂. MCZC Keyed.
- Codrus fuscicornis*: Muesebeck & Walkley, 1951: 665. Generic transfer.
- Codrus fuscicornis*: Masner, 1965b: 296. Type information.
- Exallonyx (Exallonyx) fuscicornis*: Townes & Townes, 1981: 231, 238, 244. Description, subgeneric assignment, keyed.
- fuscipalpis Townes AU**
- * *Exallonyx (Exallonyx) fuscipalpis* Townes, in Townes & Townes, 1981: 374, 376, ♂. AEIC Keyed.
- grandis Brues NA**
- * *Exallonyx grandis* Brues, 1919: 11, 17, ♀. MCZC Keyed.
- Codrus grandis*: Muesebeck & Walkley, 1951: 666. Generic transfer.
- Exallonyx (Exallonyx) grandis*: Townes & Townes, 1981: 355, 356, 364. Description, subgeneric assignment, keyed.

intensus Townes NO

- * *Exallonyx (Exallonyx) intensus* Townes, in Townes & Townes, 1981: 343, 347, ♀. CNCI Keyed.

Exallonyx intensus: Sarazin, 1986: 969. Type information.

japonicus (Ashmead) PA

- * *Proctotrupes japonicus* Ashmead, 1904b: 68, ♂. USNM
- Phaenoserphus japonicus*: Kieffer, 1909c: 6. Generic transfer.
- Phaenoserphus (?) japonicus*: Kieffer, 1914e: 23, 30. Description, keyed.
- Phaenoserphus japonicus*: Watanabe, 1949: 25. Description.
- Codrus japonicus*: Pschorn-Walcher, 1964: 5. Generic transfer.
- Codrus japonicus*: Masner & Muesebeck, 1968: 5. Type information.
- Exallonyx (Exallonyx) japonicus*: Townes & Townes, 1981: 325, 327, 328. Description, subgeneric assignment, generic transfer, keyed.

jubatus Townes AU

- * *Exallonyx (Exallonyx) jubatus* Townes, in Townes & Townes, 1981: 377, ♂, ♀. AEIC Keyed.

kenyensis Townes AF

- * *Exallonyx (Exallonyx) kenyensis* Townes, in Townes & Townes, 1981: 242, 299, ♀. AEIC Keyed.

latilabris Townes OR

- * *Exallonyx (Exallonyx) latilabris* Townes, in Townes & Townes, 1981: 237, 284, ♂. AEIC Keyed.

leiopleurum Townes NA

- * *Exallonyx (Exallonyx) leiopleurum* Townes, in Townes & Townes, 1981: 231, 246, ♂. AEIC Keyed.

leptocerus Townes NO

- * *Exallonyx (Exallonyx) leptocerus* Townes, in Townes & Townes, 1981: 242, 303, ♀. AEIC Keyed.

leptocorsa Townes AF

- * *Exallonyx (Exallonyx) leptocorsa* Townes, in Townes & Townes, 1981: 236, 241, 287, ♂, ♀. AEIC Keyed.

leptonyx Townes NO

- * *Exallonyx (Exallonyx) leptonyx* Townes, in Townes & Townes, 1981: 310, 322, ♂. AEIC Keyed.

leptopus Townes NO

- * *Exallonyx (Exallonyx) leptopus* Townes, in Townes & Townes, 1981: 311, 317, ♀. CNCI Keyed.

Exallonyx leptopus: Sarazin, 1986: 970. Type information.

levibasis Townes NA, NO

- * *Exallonyx (Exallonyx) levibasis* Townes, in Townes & Townes, 327, 1981: 325, ♂, ♀. AEIC Keyed.

ligatus (Nees ab Esenbeck) PA

- * *Codrus ligatus* Nees ab Esenbeck, 1834: 359, ♀.
- Proctotrupes ligatus*: Haliday, 1839a: 8. Generic transfer, description.
- Proctotrupes ligatus*: Vollenhoven, 1876: 30, plate 19, figure 9. Variation, figure.
- Exallonyx ligatus*: Kieffer, 1904c: 35. Generic transfer.
- Exallonyx Ligatus*: Kieffer, 1908e: 344. Description.
- Exallonyx ligatus*: Kieffer, 1914e: 44. Keyed.
- Exallonyx ligatus ligatus*: Kieffer, 1914e: 52. Description.
- Exallonyx ligatus*: Morley, 1922: 160. Keyed.
- Exallonyx ligatus*: Maneval, 1937: 2. Variation.
- Exallonyx ligatus*: Nixon, 1938d: 434, 437, 446. Description, keyed.
- Exallonyx ligatus*: Hellén, 1941: 37. Diagnosis, keyed.
- Exallonyx ligatus*: Tomšík, 1944a: 55. Description.

Codrus (Codrus) ligatus: Pschorn-Walcher, 1971: 47, 53, 54. Diagnosis, keyed.

Codrus (Codrus) ligatus: Kozlov, 1978: 547. Description, subgeneric assignment.

Codrus (Codrus) ligatus: Fabritius, 1980b: 268. Description.

Exallonyx (Exallonyx) ligatus: Townes & Townes, 1981: 234, 240, 278. Description, subgeneric assignment, keyed.

Exallonyx (Exallonyx) ligatus: Wall, 1986: 233, 234. Keyed.

Exallonyx (Exallonyx) ligatus: Wall, 1991: 53. Description, variation.

***liratus* Townes NO**

* *Exallonyx (Exallonyx) liratus* Townes, in Townes & Townes, 1981: 311, 317, ♀. AEIC Keyed.

***lispus* Townes NO**

* *Exallonyx (Exallonyx) lispus* Townes, in Townes & Townes, 1981: 311, 321, ♀. AEIC Keyed.

***lissopleuris* Townes NO**

* *Exallonyx (Exallonyx) lissopleuris* Townes, in Townes & Townes, 1981: 325, 333, ♂. AEIC Keyed.

***longicornis* (Nees ab Esenbeck) PA**

* *Codrus longicornis* Nees ab Esenbeck, 1834: 358, ♀.

Proctotrupes longicornis: Haliday, 1839a: 9. Generic transfer, description.

Exallonyx longicornis: Kieffer, 1904c: 35. Generic transfer.

* *Serphus (Phaenoserphus) micrurus* Kieffer, 1908e: 312, ♂, ♀. MNHN Synonymized by Townes, in Townes & Townes (1981).

Exallonyx Longicornis: Kieffer, 1908e: 335. Description.

Phaenoserphus micrurus: Kieffer, 1909c: 6. Generic transfer.

Phaenoserphus micrurus: Kieffer, 1914e: 23, 29. Description, keyed.

Exallonyx longicornis: Kieffer, 1914e: 44, 48. Description, keyed.

Proctotrupes micrurus: Morley, 1922: 60. Generic transfer, keyed.

Exallonyx longicornis: Morley, 1922: 159. Keyed.

Exallonyx longicornis: Nixon, 1938d: 434, 435, 438. Description, keyed.

Exallonyx longicornis: Hellén, 1941: 36, 37, 38. Diagnosis, keyed.

Phaenoserphus micrurus: Tomšik, 1942: 74. Diagnosis.

Exallonyx longicornis: Tomšik, 1944a: 53. Description.

Serphus (Phaenoserphus) micrurus: Kelner-Pillault, 1958a: 148. Type information.

Codrus (Eocodrus) longicornis: Pschorn-Walcher, 1958a: 62. Subgeneric assignment.

Codrus (Eocodrus) longicornis: Pschorn-Walcher, 1971: 47, 51, 53. Diagnosis, keyed.

Codrus (Eocodrus) longicornis: Kozlov, 1978: 548. Description.

Codrus (Eocodrus) longicornis: Fabritius, 1980b: 268. Description.

Exallonyx (Eocodrus) longicornis: Townes & Townes, 1981: 204, 207. Description, subgeneric assignment, synonymy, keyed.

Exallonyx (Eocodrus) longicornis: Wall, 1986: 230. Keyed.

Exallonyx (Eocodrus) longicornis: Wall, 1991: 44. Description.

***lophotos* Townes NO**

* *Exallonyx (Exallonyx) lophotos* Townes, in Townes & Townes, 1981: 309, 312, ♂. CNCI Keyed.

Exallonyx lophotos: Sarazin, 1986: 970. Type information.

***luzonicus* Kieffer OR**

* *Exallonyx luzonicus* Kieffer, 1914b: 181. Type lost.

Exallonyx luzonicus: Kieffer, 1914e: 44, 53. Description, keyed.

Codrus luzonicus: Baltazar, 1966: 162. Generic transfer.

Exallonyx (Exallonyx) luzonicus: Townes & Townes, 1981: 237, 283. Description, subgeneric assignment, type information, keyed.

***masoni* Townes NO**

* *Exallonyx (Exallonyx) masoni* Townes, in Townes & Townes, 1981: 325, 328, 334, ♂, ♀. CNCI Keyed.

- Exallonyx masoni*: Sarazin, 1986: 970. Type information.
- melanomerus Townes NO**
- * *Exallonyx (Exallonyx) melanomerus* Townes, in Townes & Townes, 1981: 326, 340, ♂. AEIC Keyed.
- melanoptera Townes AU**
- * *Exallonyx (Exallonyx) melanoptera* Townes, in Townes & Townes, 1981: 366, 370, ♂. AEIC Keyed.
- microcerus Kieffer PA**
- * *Exallonyx Microcerus* Kieffer, 1908e: 343, ♂, ♀. MNHN
- * *Exallonyx Subseratus* var. *hyalinipennis* Kieffer, 1908e: 336, ♀. MNHN Synonymized by Townes, in Townes & Townes (1981).
- Exallonyx subseratus hyalinipennis*: Kieffer, 1914e: 49. Description, change to subspecies status.
- Exallonyx microcerus*: Kieffer, 1914e: 44, 51. Description, keyed.
- Exallonyx microcerus*: Nixon, 1938d: 434, 438, 446. Description, keyed.
- Exallonyx microcerus*: Hellén, 1941: 37, 38. Variation, keyed.
- Exallonyx microcerus*: Tomšik, 1944a: 54. Description.
- Exallonyx subseratus* var. *hyalinipennis*: Kelner-Pillault, 1958a: 148. Type information.
- Codrus microcerus*: Pschorn-Walcher, 1964: 4. Description.
- Codrus (Codrus) microcerus*: Pschorn-Walcher, 1971: 47, 53, 54. Diagnosis, keyed.
- Codrus (Codrus) microcerus*: Kozlov, 1978: 547, 548. Description, subgeneric assignment.
- Exallonyx (Exallonyx) microcerus*: Townes & Townes, 1981: 240, 273. Description, subgeneric assignment, synonymy, lectotype designation, keyed.
- Exallonyx (Exallonyx) microcerus*: Wall, 1986: 232. Keyed.
- Exallonyx (Exallonyx) microcerus*: Wall, 1991: 53. Description.
- mindorensis Townes OR**
- * *Exallonyx (Exallonyx) mindorensis* Townes, in Townes & Townes, 1981: 307, 308, ♀. AEIC Keyed.
- minor Townes NA, PA**
- * *Exallonyx (Exallonyx) minor* Townes, in Townes & Townes, 1981: 235, 242, 295, ♂, ♀. AEIC Keyed.
- Exallonyx (Exallonyx) minor*: Wall, 1986: 233, 234. Keyed.
- Exallonyx (Exallonyx) minor*: Wall, 1991: 51. Description, variation.
- monotrema Townes AU**
- * *Exallonyx (Exallonyx) monotrema* Townes, in Townes & Townes, 1981: 242, 300, ♀. AEIC Keyed.
- multidens Townes NO**
- * *Exallonyx (Exallonyx) multidens* Townes, in Townes & Townes, 1981: 232, 247, ♂. AEIC Keyed.
- mydobius Townes NO**
- * *Exallonyx (Exallonyx) mydobius* Townes, in Townes & Townes, 1981: 343, 347, ♂, ♀. AEIC Keyed.
- nathani Townes OR**
- * *Exallonyx (Exallonyx) nathani* Townes, in Townes & Townes, 1981: 327, 330, ♀. CNCI Keyed.
- Exallonyx nathani*: Sarazin, 1986: 970. Type information.
- nevadensis (Kieffer) NA**
- * *Proctotrypes nevadensis* Kieffer, 1906a: 275, ♂. CASC
- Serphus nevadensis*: Kieffer, 1909c: 5. Generic transfer.
- Phaenoserphus nevadensis*: Kieffer, 1914e: 24, 35. Generic transfer, description, keyed.
- Serphus nevadensis*: Brues, 1919: 2. Keyed.
- * *Exallonyx similis* Brues, 1919: 10, 11, ♀. MCZC Keyed. Synonymized by Townes, in Townes & Townes (1981).
- Codrus similis*: Muesebeck & Walkley, 1951: 666. Generic transfer.

- Codrus similis*: Masner, 1965b: 297. Type information.
Proctotrypes nevadensis: Hoebeke, 1980: 25. Type information.
Exallonyx (Exallonyx) nevadensis: Townes & Townes, 1981: 214, 215, 226. Description, subgeneric assignment, lectotype designation, synonymy, keyed.
- nikkoensis (Pschorn-Walcher) PA**
 * *Codrus nikkoensis* Pschorn-Walcher, 1964: 5, ♀. EIHU
Exallonyx (Exallonyx) nikkoensis: Townes & Townes, 1981: 325, 327, 330. Description, generic transfer, subgeneric assignment, keyed.
- nimius Townes AF**
 * *Exallonyx (Exallonyx) nimius* Townes, in Townes & Townes, 1981: 365, 367, ♂. AEIC Keyed.
- nixoni Townes PA**
 * *Exallonyx (Exallonyx) nixoni* Townes, in Townes & Townes, 1981: 235, 242, 294, ♂, ♀. AEIC Keyed.
Exallonyx (Exallonyx) nixoni: Wall, 1986: 233, 234. Keyed.
Exallonyx (Exallonyx) nixoni: Wall, 1991: 52. Description, variation.
- nodosus Townes NO**
 * *Exallonyx (Exallonyx) nodosus* Townes, in Townes & Townes, 1981: 236, 305, ♂. LACM Keyed.
- oaxacae Townes NO**
 * *Exallonyx (Exallonyx) oaxacae* Townes, in Townes & Townes, 1981: 234, 271, ♂. AEIC Keyed.
- obscuratus Townes NO**
 * *Exallonyx (Exallonyx) obscuratus* Townes, in Townes & Townes, 1981: 240, 270, ♀. AEIC Keyed.
- obsoletus (Say) NA**
 * *Proctotrupes obsoletus* Say, 1836: 277, ♀.
Proctotrupes obsoletus: Say, in LeConte, 1859b: 725. Reprint of Say (1836).
Proctotrypes obsoletus: Ashmead, 1893: 335, 340. Description, keyed.
 * *Proctotrypes carolinensis* Ashmead, 1893: 335, 341, ♂. USNM Keyed. Synonymized by Townes, in Townes & Townes (1981).
 * *Proctotrypes longiceps* Ashmead, 1893: 335, 342, ♀. USNM Keyed. Synonymized by Townes, in Townes & Townes (1981).
 * *Proctotrypes medius* Ashmead, 1893: 335, 343, ♀. USNM Keyed. Synonymized by Townes, in Townes & Townes (1981).
Proctotrypes carolinensis: Harrington, 1900: 194. Diagnosis.
Proctotrypes medius: Harrington, 1900: 194. Type information.
Proctotrypes longiceps: Harrington, 1900: 194. Type information.
Phaenoserphus carolinensis: Kieffer, 1909c: 5. Generic transfer.
Phaenoserphus obsoletus: Kieffer, 1909c: 6. Generic transfer.
Exallonyx longiceps: Kieffer, 1909c: 8. Generic transfer.
Exallonyx medius: Kieffer, 1909c: 8. Generic transfer.
Phaenoserphus obsoletus: Kieffer, 1914e: 24, 33. Description, keyed.
Phaenoserphus carolinensis: Kieffer, 1914e: 24, 34. Description, keyed.
Exallonyx longiceps: Kieffer, 1914e: 44, 55. Description, keyed.
Exallonyx medius: Kieffer, 1914e: 45, 57. Description, keyed.
Serphus obsoletus: Brues, 1916b: 574, 575. Description, generic transfer, keyed.
Serphus carolinensis: Brues, 1916b: 574, 575. Description, generic transfer, keyed.
Serphus longiceps: Brues, 1916b: 574, 575. Description, generic transfer, keyed.
Cryptoserphus obsoletus: Brues, 1919: 6. Generic transfer.
Exallonyx longiceps: Brues, 1919: 10, 11. Keyed.
Codrus carolinensis: Muesebeck & Walkley, 1951: 665. Generic transfer.
Cryptoserphus obsoletus: Muesebeck & Walkley, 1951: 665. Generic transfer.
Codrus longiceps: Muesebeck & Walkley, 1951: 666. Generic transfer.

- Codrus medius*: Muesebeck & Walkley, 1951: 666. Generic transfer.
Codrus carolinensis: Masner & Muesebeck, 1968: 4. Type information.
Codrus longiceps: Masner & Muesebeck, 1968: 5. Type information.
Codrus medius: Masner & Muesebeck, 1968: 5. Type information.
Exallonyx (Exallonyx) obsoletus: Townes & Townes, 1981: 355, 356, 362. Description, generic transfer, subgeneric assignment, synonymy, keyed.
- ochropus Townes NO**
 * *Exallonyx (Exallonyx) ochropus* Townes, in Townes & Townes, 1981: 344, 354, ♀. AEIC Keyed.
- oculatus Townes OR**
 * *Exallonyx (Exallonyx) oculatus* Townes, in Townes & Townes, 1981: 326, 340, ♂. CNCI Keyed.
Exallonyx oculatus: Sarazin, 1986: 970. Type information.
- orientalis Dodd OR**
 * *Exallonyx orientalis* Dodd, 1920a: 365, ♀. BMNH
Codrus orientalis: Masner, 1965a: 6. Generic transfer, type information.
Exallonyx (Exallonyx) orientalis: Townes & Townes, 1981: 325, 327, 329. Description, subgeneric assignment, keyed.
- pallibasis Townes AU**
 * *Exallonyx (Exallonyx) pallibasis* Townes, in Townes & Townes, 1981: 374, 375, ♂. AEIC Keyed.
- pallidicornis Brues NA**
 * *Exallonyx pallidicornis* Brues, 1919: 11, 14, ♂. MCZC Keyed.
Codrus pallidicornis: Muesebeck & Walkley, 1951: 666. Generic transfer.
Codrus pallidicornis: Masner, 1965b: 296. Type information.
Exallonyx (Exallonyx) pallidicornis: Townes & Townes, 1981: 234, 235, 239, 240, 266. Description, subgeneric assignment, keyed.
- pallidistigma Morley PA**
 * *Exallonyx niger* var. *pallidistigma* Morley, 1922: 182, ♂, ♀. BMNH
 * *Phaenoserphus Milleri* Tomšik, 1942: 75, ♂. MMBC Synonymized by Townes, in Townes & Townes (1981).
Codrus niger var. *pallidistigma*: Masner, 1965a: 6. Generic transfer, type information.
Exallonyx (Exallonyx) pallidistigma: Townes & Townes, 1981: 355, 356. Description, subgeneric assignment, synonymy, lectotype designation, keyed.
Phaenoserphus milleri: Townes & Townes, 1981: 357. Type information.
Exallonyx (Exallonyx) pallidistigma: Wall, 1986: 235. Keyed.
- parameces Townes NO**
 * *Exallonyx (Exallonyx) parameces* Townes, in Townes & Townes, 1981: 344, 349, ♂. AEIC Keyed.
- parcus Townes NO**
 * *Exallonyx (Exallonyx) parcus* Townes, in Townes & Townes, 1981: 326, 339, ♂. AEIC Keyed.
- parvus Risbec AF**
 * *Exallonyx alticola* var. *parva* Risbec, 1950: 517, ♂. MNHN
Exallonyx (Exallonyx) parvus: Townes & Townes, 1981: 235, 299. Description, subgeneric assignment, change to species status, lectotype designation, keyed.
- pentaglyptus Townes NO**
 * *Exallonyx (Exallonyx) pentaglyptus* Townes, in Townes & Townes, 1981: 310, 322, ♂. AEIC Keyed.
- penai Townes NO**
 * *Exallonyx (Exallonyx) penai* Townes, in Townes & Townes, 1981: 236, 241, 302, ♂, ♀. AEIC Keyed.
- phaeomerus Townes NO**
 * *Exallonyx (Exallonyx) phaeomerus* Townes, in Townes & Townes, 1981: 235, 284, ♂. AEIC Keyed.